



**SIG SAUER P-365  
Micro Compact**

**Barrel 3.1 Inch/78.5mm  
9mm & .380**



**WARNING**



**Please Read and  
Fully Understand the  
Included Installation  
Instructions. Always  
wear protective  
glasses during  
installation.**


**DPM Systems Technologies Ltd.**

**Firearms Recoil Improvement**

**Recoil Reduction System**

## INSTALLATION INSTRUCTIONS SIG SAUER P 365 MICRO COMPACT



The DPM Recoil Reduction System includes four different in length and strength external springs which are controlling the forces when the slide is on the battery and the total forces of the system. (Fig. 1)



1. **ATTENTION:** Always install the spring plug when you use the DPM recoil reduction system. (Fig. 2)



2. Push the Recoil Rod forward (Fig. 3) to fit it in the correct position on the pistol's barrel (Fig. 4).



3. Ensure that the DPM system is placed in the correct way, reassemble the slide on the frame and rack the slide several times to confirm that the DPM Recoil system functions unrestricted.

**SPRINGS:** The **Silver** springs (S.S & S.L) feature a softer wire material than the **Black** ones (H.S & H.L), which have a thicker wire diameter 1.10mm and are stronger.

## **RECOIL SYSTEM & SPRINGS FORCES**

**Slide on the battery (approx.):**

**S.S:** 3.4kgs/7.5 Lbs | **S.L:** 3.8kgs/8.37 Lbs

**H.S:** 3.6kgs/7.93 Lbs | **H.L:** 3.9kgs/8.6 Lbs

**Slide full open position (approx.):**

**S.S:** 5.5kgs/11 Lbs | **S.L:** 6.0kgs/12 Lbs

**H.S:** 7kgs/14.5 Lbs | **H.L:** 8.2kgs/17 Lbs

**Visit the product's page to watch video instructions.**  
For any questions about the installation or operating instructions:  
[service@dpmssystems.com](mailto:service@dpmssystems.com) | [www.dpmssystems.com](http://www.dpmssystems.com)

# The World's Only Progressive, Patented, Multi Spring Recoil Reduction System



**YOUR MARKSMANSHIP DEPENDS ON THIS!**

## Overall Advantages

- Better double-tap concentration
- Significant recoil reduction
- Slide and frame protection
- Improved firing speed
- Elimination of jams
- No modification required



**MS-SI/17**



5 213007 221674

**SKU: 1000168**

## DPM Systems Technologies Ltd.

[www.dpmsystems.com](http://www.dpmsystems.com) | [info@dpmsystems.com](mailto:info@dpmsystems.com)

Copyright © 2024 DPM Systems Technologies Ltd.